

<http://crbpo.mnhn.fr/spip.php?article300>



# Articles Axe 3 - Programmes personnels et actions spéciales

- Bibliographie -

Date de mise en ligne : mardi 26 janvier 2010

---

Copyright © Le C.R.B.P.O. - Tous droits réservés

---

## Articles Axe 3 - Programmes personnels et actions spéciales

| Thème | 1er auteur | Année          | Journal                            | Titre   | Mots-clés  | Lien PDF                                |
|-------|------------|----------------|------------------------------------|---|--|---|
| PP    | Archaux    | 20             | Waterbirds                         | Wintering of White Storks in Mediterranean France   | CICCIC ; hivernage   | <a href="#">Archaux et al., 2004</a>    |
| PP    | Archaux    | 04<br>20<br>08 | Ibis                               | High turnover and moderate fidelity of White Storks <i>Ciconia ciconia</i> at a European wintering site   | CICCIC ; hivernage   | <a href="#">Archaux et al., 2008</a>    |
| PP    | Arizaga    | 20<br>15       | Bird Study                         | Biases associated with the use of a playback in stopover ecology studies of Bluethroats <i>Luscinia svecica</i>   | LUSSVE ; biais, repasse  | <a href="#">Arizaga et al., 2015</a>    |
| PP    | Arizaga    | 20<br>15       | Ardeola                            | Migratory connectivity in European bird populations : feather stable isotope values correlate with biometrics of breeding and wintering Bluethroats <i>Luscinia svecica</i> | LUSSVE ; migration ; isotopes ; biométrie                        | <a href="#">Arizaga et al., 2015</a>    |
| PP    | Arizaga    | 20<br>16       | Bird Study                         | Breeding origins and pattern of migration of Bluethroats <i>Luscinia svecica</i> wintering from Iberia to Senegal as revealed by stable isotopes                            | LUSSVE ; migration ; isotopes                                    | <a href="#">Arizaga et al., 2016</a>    |
| PP    | Barbaro    | 20<br>08       | Biodiversity and Conservation      | Multi-scale habitat selection and foraging ecology of the eurasian hoopae ( <i>Upupa epops</i> ) in pine plantations  | UPUEPO ; habitat   | <a href="#">Barbaro et al., 2008</a>    |
| PP    | Barbraud   | 20<br>03       | Journal of Animal Ecology          | Phenotypic correlates of post-fledging dispersal in a population of greater flamingos : the importance of body condition  | PHORUB ; condition corporelle ; dispersion                       | <a href="#">Barbraud et al., 2003</a>   |
| PP    | Bavoux     | 20<br>06       | Journal of Raptor Research         | Gender determination in the western Marsh Harrier ( <i>Circus aeruginosus</i> ) using morphometrics and discriminant analysis   | CIRAER ; dimorphisme sexuel                                      | <a href="#">Bavoux et al., 2006</a>     |
| PP    | Berman     | 20             | Proceedings of the Royal Society B | Contrasted patterns of age-specific reproduction in long-lived seabirds   | Oiseaux marins ; reproduction                                    | <a href="#">Berman et al., 2009</a>     |
| PP    | Boileau    | 09<br>20<br>14 | Journal of Raptor Research         | Post-fledging dependence period in the Eurasian Kestrel ( <i>Falco tinnunculus</i> ) in western France  | FALTIN ; condition corporelle                                    | <a href="#">Boileau et al., 2014</a>    |
| PP    | Borras     | 20<br>05       | Aves                               | Citrl finch ( <i>Serinus citrinella</i> ) populations at the north of the Pyrenees may winter in the northeast of the Iberian Peninsula                                     | SERLLA ; hivernage ; migration                                   | <a href="#">Borras et al., 2005</a>     |
| PP    | Brucy      | 20<br>09       | Cotinga                            | First documented record of Rufous-rumped Antwren <i>Terenura callinota</i> in French Guiana   | TERCAL ; Guyane  | <a href="#">Brucy et al., 2009</a>      |
| PP    | Cadiou     | 20<br>04       | Aquatic Living Resources           | Ecological impact of the Â« Erika Â» oil spill : determination of the geographic origin of the affected common guillemots   | CEPGRY ; biogéographie   | <a href="#">Cadiou et al., 2004</a>     |
| PP    | Chartier   | 20             | Alauda                             | La Cigogne blanche <i>Ciconia ciconia</i> en Normandie au XXe siècle  | CICCIC ; migration   | <a href="#">Chartier, 2001</a>          |
| PP    | Chevallier | 20<br>10       | Ringin and Migration               | Satellite tracking of a Booted Eagle <i>Aquila pennata</i> during migration   | HIEPEN ; migration   | <a href="#">Chevallier et al., 2010</a> |
| PP    | Chevallier | 20<br>15       | Journal of Applied Ecology         | Retrofitting of power lines effectively reduces mortality by electrocution in large birds : an example with the endangered Bonelli's eagle                                  | HIEFAS ; conservation ; mortalité ; survie annuelle ; prévention | <a href="#">Chevallier et al., 2015</a> |
| PP    | Chiron     | 20<br>07       | Journal of Wildlife Management     | Responses of songbirds to magpie reduction in an urban habitat  | PICPIC ; régulation ; impact sur passeaux                        | <a href="#">Chiron et al., 2007</a>     |

## Articles Axe 3 - Programmes personnels et actions spéciales

|    |                  |      |   |  |   |   |
|----|------------------|------|---|--|---|---|
| PP | D'Amico          | 2007 | Comparative Biochemistry and Physiology   | Time-activity budgets and energetics of Dipper <i>Cinclus cinclus</i> are dictated by temporal variability of river flow                                   | CICLUS ; budget énergétique                 | <a href="#">D'Amico et al., 2007</a>    |
| PP | Eybert           | 1989 | Comptes-Rendus de l'Académie des Sciences | Premières données sur le territorialisme hivernal observé chez la Gorgebleue ( <i>Luscinia svecica</i> L.)   | LUSSVE ; territoire                         | <a href="#">Eybert et al., 1989</a>     |
| PP | Finch            | 2015 | Diversity and Distributions               | A pan-European, multipopulation assessment of migratory connectivity in a near-threatened migrant bird   | CORGAR, migration, connectivity, population | <a href="#">Finch et al., 2015</a>      |
| PP | Foucher          | 2013 | Ornithos                                  | Nouveaux sites d'hivernage du Phragmite aquatique <i>Acrocephalus paludicola</i> en Afrique de l'Ouest   | ACROLA ; hivernage                          | <a href="#">Fournier et al., 2013</a>   |
| PP | Fournier         | 2013 | Alauda                                    | Radiopistage sur la Gorgebleue à miroir <i>Luscinia svecica namnetum</i> : une technique robuste et fiable pour la pose d'émetteurs                        | LUSSVENAM ; radiotracking                   | <a href="#">Fournier et al., 2013</a>   |
| AS | Fournier         | 20   | Alauda                                    | Optimisation du marquage d'oiseaux par la pose de bagues couleurs  | Bagues couleurs                             | <a href="#">Fournier et al., 2014</a>   |
| PP | Garoché          | 2008 | Alauda                                    | La biologie du Pipit maritime <i>Anthus petrosus petrosus</i> (Montagu) en Bretagne : caractère philopatryque et approche sur la dispersion natale         | ANTPET ; dispersion                         | <a href="#">Garoché et al., 2008</a>    |
| PP | Geslin           | 2002 | Biological Conservation                   | Salt exploitation and landscape structure in a breeding population of the threatened bluethroat ( <i>Luscinia svecica</i> ) in salt-pans in western France | LUSSVE ; paysage                            | <a href="#">Geslin et al., 2002</a>     |
| PP | Geslin           | 2004 | Bird Study                                | Age-related improvement of reproductive success in Bluethroats <i>Luscinia svecica</i>   | LUSSVE ; reproduction                       | <a href="#">Geslin et al., 2004</a>     |
| PP | Geslin           | 2004 | Ibis                                      | Sex-specific patterns in body condition and testosterone level changes in a territorial migratory bird : the Bluethroat <i>Luscinia svecica</i>            | LUSSVE ; condition corporelle               | <a href="#">Geslin et al., 2004</a>     |
| PP | Godet            | 2015 | Journal of Ornithology                    | Bluethroats <i>Luscinia svecica namnetum</i> offset landscape constraints by expanding their home range  | LUSSVE ; landscape                          | <a href="#">Godet et al., 2015</a>      |
| PP | Godet            | 2018 | Biodiversity and Conservation             | Differences in home-range sizes of a bird species in its original, refuge and substitution habitats : challenges to conservation in anthropogenic habitats | LUSSVE ; habitat                            | <a href="#">Godet et al., 2018</a>      |
| PP | Guillemain       | 2004 | Journal of Ornithology                    | Fuelling rates of garganey ( <i>Anas querquedula</i> ) staging in the Camargue, southern France, during spring migration                                   | ANAQUE ; condition corporelle               | <a href="#">Guillemain et al., 2004</a> |
| PP | Guillemain       | 2015 | Wildfowl                                  | Becoming more sedentary ? Changes in recovery positions of Mallard <i>Anas platyrhynchos</i> ringed in the Camargue, France, over the last 50 years        | ANAPLA ; reprises                           | <a href="#">Guillemain et al., 2015</a> |
| PP | Guyonnet         | 2011 | Ringling and Migration                    | The origin and population structure of Purple Sandpiper <i>Calidris maritima</i> in northern France  | CALMAR ; population                         | <a href="#">Guyonnet et al., 2011</a>   |
| PP | Henry            | 2004 | Waterbirds                                | Do adult little egrets respond to disturbance at their nest by increased breeding dispersal ?  | EGRGAR ; dispersion : méthode de capture    | <a href="#">Henry et al., 2004</a>      |
| PP | Hernandez-Matias | 2010 | The Auk                                   | Determinants of territorial recruitment in Bonelli's Eagle ( <i>Aquila fasciata</i> ) populations  | HIEFAS ; recrutement                        | <a href="#">Hernandez et al., 2010</a>  |
| PP | Hogner           | 2013 | Behavioral Ecology and Sociobiology       | Rapid sperm evolution in the bluethroat ( <i>Luscinia svecica</i> ) subspecies complex   | LUSSVE ; spéciation                         | <a href="#">Hogner et al., 2013</a>     |

## Articles Axe 3 - Programmes personnels et actions spéciales

|    |            |      |                                      |   |  |   |
|----|------------|------|--------------------------------------|---|--|---|
| PP | Itty       | 2015 | Rapaces de France - Oiseaux magazine | La technologie GPS, un atout pour le suivi de l'Aigle royal dans le Massif Central  | AQUCHR ; GPS ; territoire                                      | <a href="#">Itty et al., 2015</a>           |
| PP | Kerbiriou  | 2006 | Ibis                                 | Linking territory quality and reproductive success in the Red-billed Chough <i>Pyrrhocorax pyrrhocorax</i> : implications for conservation management of an endangered population         | PYRRAX ; territoire  | <a href="#">Kerbiriou et al., 2006</a>      |
| PP | Koenig     | 2005 | Afring News                          | Sexing Madagascar Red Fody <i>Foudia madagascariensis</i> in the non-breeding period  | FOUDMAD  | <a href="#">Koenig, 2005</a>                |
| PP | Le Gouar   | 2008 | Ecological Applications              | Roles of survival and dispersal in reintroduction success of Griffon Vulture ( <i>Gyps fulvus</i> )   | GYPFUL ; dispersion  | <a href="#">Le Gouar et al., 2008</a>       |
| PP | Le Guillou | 2014 | Rapport                              | Suivi de la population de goéland marin <i>Larus marinus</i> de la ville du Havre   | LARMAR ; population  | <a href="#">Le Guillou et al., 2014</a>     |
| PP | Lieury     | 2015 | Biological Conservation              | Relative contribution of local demography and immigration in the recovery of a geographically-isolated population of the endangered Egyptian vulture                                      | NEOPER ; dynamique de population ; immigration                 | <a href="#">Lieury et al., 2015</a>         |
| PP | Lieury     | 2016 | Biological Conservation              | Geographically isolated but demographically connected : Immigration supports efficient conservation actions in the recovery of a range-margin population of the Bonelli's eagle in France | HIEFAS ; dynamique de population ; immigration                 | <a href="#">Lieury et al., 2016</a>         |
| PP | Lieury     | 2017 | Biological Conservation              | Designing cost-effective capture-recapture surveys for improving monitoring of survival in bird populations   | HIEFAS ; CMR   | <a href="#">Lieury et al., 2017</a>         |
| AS | Lislevand  | 2015 | Journal of Avian Biology             | Skipping-type migration in a small Arctic wader, the Temminck's stint <i>Calidris temminckii</i>  | CALTEM ; migration   | <a href="#">Lislevand et al., 2015</a>      |
| PP | Malafosse  | 2014 | Alauda                               | Dispersion post-natale des jeunes circaètes Jean-le-Blanc   | CIRGAL ; dispersion  | <a href="#">Malafosse et al., 2014</a>      |
| PP | Martin     | 2016 | Climate Research                     | Migration timing responses to climate change differ between adult and juvenile white storks across Western Europe   | CICCIC ; migration ; phenologie                                | <a href="#">Martin et al., 2016</a>         |
| PP | Marzolin   | 2002 | Journal of Wildlife Management       | Influence of the mating system of the Eurasian Dipper on sex-specific local survival rates  | CICLUS ; système de reproduction                               | <a href="#">Marzolin, 2002</a>              |
| PP | Matovic    | 2017 | Population Ecology                   | Disentangling the effects of predation and oceanographic fluctuations in the mortality of two allopatric seabird populations  | HYDPEL ; survie, climat  | <a href="#">Matovic et al., 2017</a>        |
| PP | Meillère   | 2015 | PLoS ONE                             | Influence of urbanization on body size, condition, and physiology in an urban exploiter : a multi-component approach  | PASDOM ; condition corporelle ; taille ; milieu urbain - rural | <a href="#">Meillère et al., 2015</a>       |
| PP | Mihoub     | 2010 | Biological Conservation              | Challenging conservation of migratory species : Sahelian rainfalls drive first-year survival of the vulnerable Lesser Kestrel <i>Falco naumanni</i>                                       | FALNAU ; survie  | <a href="#">Mihoub et al., 2010</a>         |
| PP | Morelli    | 2015 | Behavioral Processes                 | Saving the best for last : Differential usage of impaled prey by red-backed shrike ( <i>Lanius collurio</i> ) during the breeding season  | LANCOL ; comportement  | <a href="#">Morelli et al., 2015</a>        |
| PP | Mouronval  | 2016 | Livre                                | Guide de détermination de l'âge et du sexe des canards  | identification ; canards                                       | <a href="#">Mouronval &amp; ONCFS, 2016</a> |
| PP | Musseau    | 20   |                                      |   |  |   |

|                    |  |   |                                      |
|--------------------|--|---|--------------------------------------|
| Acta Ornithologica | Ecology of Aquatic Warblers <i>Acrocephalus paludicola</i> in a fall stopover area on the Atlantic coast of France | ACROLA ; halte migratoire ;<br>télémétrie | <a href="#">Musseau et al., 2014</a> |
|--------------------|--|---|--------------------------------------|

## Articles Axe 3 - Programmes personnels et actions spéciales

|    |                |          |  |   |  |   |
|----|----------------|----------|--|---|--|---|
| PP | Musseau        | 20<br>17 | Ardeola  | Importance of intertidal wetlands for the French coastal endemic Bluethroat <i>Cyanecula svecica namnetum</i> and conservation implications in the context of global changes        | mue ; domaine vital ; régime alimentaire                 | <a href="#">Musseau et al., 2017</a>              |
| PP | Olioso         | 20<br>11 | Ornithos   | Variation géographique du plumage des pics verts du Languedoc-Roussillon  | PICVIR ; plumage   | <a href="#">Olioso et al., 2011</a>               |
| PP | Poluda         | 20<br>12 | [Ringing and Migration]  | First confirmed connectivity between breeding sites and wintering areas of the globally threatened Aquatic Warbler <i>Acrocephalus paludicola</i>                                   | ACROLA ; dmigration                                      | <a href="#">Poluda et al., 2012</a>               |
| PP | Ponchon        | 20<br>15 | <a href="#">Rapaces de France - OISEAU Magazine</a>            | Aigle de Bonelli : 25 ans du programme de baguage : bilan et perspectives   | HIEFAS ; démographie ; mortalité                         | <a href="#">Ponchon &amp; Ravayrol, 2015</a>      |
| AS | Pons           | 20<br>03 | Population Ecology   | Local survival after fire in Mediterranean shrublands : combining capture-recapture data over several bird species  | Population, survie ; SYLUND                              | <a href="#">Pons et al., 2003</a>                 |
| PP | Poulin         | 20<br>02 | Biodiversity and Conservation                                  | Effect of winter cutting on the passerine breeding assemblage in French Mediterranean reedbeds  | ACRSCI ; ACRMEL ; EMBSCH ; PANBIA ; CETCET ; habitat     | <a href="#">Poulin, 2002</a>                      |
| PP | Poulin         | 20<br>02 | Biological Conservation  | Habitat requirements of passerines and reedbed management in southern France  | ACRSCI ; ACRMEL ; EMBSCH ; PANBIA ; CETCET ; habitat     | <a href="#">Poulin, 2002</a>                      |
| AS | Pradel         | 20<br>07 | Ecoscience   | Potential contributions of capture-recapture to the estimation of population growth rate in restoration projects  | CMR ; dynamique de population ; CICCIC ; HIEFAS ; PHORUB | <a href="#">Pradel et al., 2007</a>               |
| PP | Ravussin       | 20<br>15 | Nos Oiseaux  | Quel avenir pour la Chouette de Tengmalm <i>Aegolius funereus</i> dans le massif du Jura ? Bilan de 30 années de suivi  | AEGFUN ; reproduction ; dispersion ; démographie         | <a href="#">Ravussin et al., 2015</a>             |
| PP | Recorbet       | 20<br>11 | Alauda   | Premières données biologiques sur les Goélands d'Audouin <i>Larus audouinii</i> de la colonie d'Aspreto/Ajaccio (Corse)   | LARAUD ; reproduction                                    | <a href="#">Recorbet et al., 2011</a>             |
| PP | Recorbet       | 20<br>12 | Proceedings of the 13th Medmaravis Pan-Mediterranean Symposium | Results from ringing chicks of Audouin's Gulls <i>Larus audouinii</i> at Aspreto colony (Corsica) and controls in Corsica of chicks ringed in Italy                                 | LARAUD ; dispersion                                      | <a href="#">Recorbet et al., 2012</a>             |
| PP | Resano-Mayor   | 20<br>14 | PLoS ONE   | Multi-Scale Effects of Nestling Diet on Breeding Performance in a Terrestrial Top Predator Inferred from Stable Isotope Analysis  | HIEFAS ; succès de reproduction ; régime alimentaire     | <a href="#">Resano-Mayor et al., 2014</a>         |
| PP | Robin          | 20<br>16 | La Gorgebleue 2.0  | Démographie de la population de Barge à queue noire <i>Limosa limosa limosa</i> en reproduction dans les marais côtiers du Centre-Ouest de la France : premier bilan de cinq années | LIMLIMLIM ; reproduction ; démographie                   | <a href="#">Robin et al., 2014</a>                |
| PP | Rojas          | 20<br>16 | PLoS One   | Network Analysis Shows Asymmetrical Flows within a Bird Metapopulation  | CICCIC ; metapopulation ; dispersion                     | <a href="#">Rojas et al., 2016</a>                |
| PP | Soufflot       | 20<br>03 | Alauda   | Informations fournies par les controles de chouettes effraies <i>Tyto alba</i> en Bourgogne   | TYTALB ; reprises  |   |
| PP | Vincent-Martin | 20<br>13 | Nature de Provence   | Quelques éléments pour l'aide à l'identification de l'âge des Aigles de Bonelli <i>Aquila fasciata</i> (Vieillot, 1822)   | HIEFAS ; critères d'âge                                  | <a href="#">Vincent-Martin &amp; Ponchon 2013</a> |
| PP | Wahl           | 20<br>13 | Ibis   | The demography of a newly established Osprey <i>Pandion haliaetus</i> population in France  | PANHAL, population                                       | <a href="#">Wahl et al., 2013</a>                 |